

## 限制輸出貨品明細表

序號	CCC 號列	貨 名 名 稱
1	7210.70.10.00-5	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失在 6.5 瓦特／公斤及以上者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m<sup>2</sup>, the iron loss 6.5 W/kg or more</p>
2	7210.70.20.00-3	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失在 5 瓦特／公斤及以上但未達 6.5 瓦特／公斤者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m<sup>2</sup>, the iron loss 5 W/kg or more but less than 6.5 W/kg</p>
3	7210.70.30.00-1	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失低於 5 瓦特／公斤者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m<sup>2</sup>, the iron loss less than 5 W/kg</p>
4	7210.70.90.11-5	<p>以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc</p>
5	7210.70.90.12-4	<p>以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc-aluminium alloys</p>

6	7210.70.90.13-3	以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium-magnesium alloys
7	7210.70.90.19-7	其他以熱浸鍍鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc alloys
8	7210.70.90.20-4	以熱浸鍍鋁鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc alum
9	7210.70.90.30-2	以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on electrolytically plated or coated with zinc or zinc-alloy
10	7210.70.90.40-0	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on cold-rolled
11	7210.70.90.90-9	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics
12	7212.40.10.00-0	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失在 6.5 瓦特／公斤及以上 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss 6.5 W/kg or more

13	7212.40.20.00-8	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失在 5 瓦特／公斤及以上但未達 6.5 瓦特／公斤者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m<sup>2</sup>, the iron loss 5 W/kg or more but less than 6.5 W/kg</p>
14	7212.40.30.00-6	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 0.5 韋伯／平方公尺時鐵心損失低於 5 瓦特／公斤者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m<sup>2</sup>, the iron loss less than 5W/kg</p>
15	7212.40.90.00-3	<p>其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品</p> <p>Other flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics</p>
16	7225.99.10.00-5EX	<p>其他合金鋼之扁軋製品，寬度 600 公厘及以上，經鍍面、塗面或護面者，高速鋼除外</p> <p>Flat-rolled products of other alloy steel, plated, coated or clad, of a width of 600 mm or more, excluding high speed steel</p>
17	7226.99.90.00-7	<p>其他合金鋼扁軋製品，寬度小於 600 公厘者</p> <p>Flat-rolled products of other alloy steel, of a width of less than 600 mm</p>