

## 限制輸出貨品明細表

序號	CCC 號列	貨品名稱
1	7210.70.10.00-5	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失在 6.5 瓦特／公斤及以上者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m<sup>2</sup>, the iron loss 6.5 W/kg or more</p>
2	7210.70.20.00-3	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失在 5 瓦特／公斤及以上但未達 6.5 瓦特／公斤者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m<sup>2</sup>, the iron loss 5 W/kg or more but less than 6.5 W/kg</p>
3	7210.70.30.00-1	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 105 韋伯／平方公尺時鐵心損失低於 5 瓦特／公斤者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m<sup>2</sup>, the iron loss less than 5 W/kg</p>
4	7210.70.90.51-6	<p>以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度小於 0.25 公厘</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc, in coils, of a thickness less than 0.25 mm</p>
5	7210.70.90.52-5	<p>以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.25 公厘及以上但小於 0.55 公厘</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc, in coils, of a thickness of 0.25 mm or more but less than 0.55 mm</p>

6	7210.70.90.53-4	以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.55 公厘及以上 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc, in coils, of a thickness of 0.55 mm or more
7	7210.70.90.71-2	以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，非捲盤狀 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc, not in coils
8	7210.70.90.54-3	以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度小於 0.25 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium alloys, in coils, of a thickness less than 0.25 mm
9	7210.70.90.55-2	以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.25 公厘及以上但小於 0.55 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium alloys, in coils, of a thickness of 0.25 mm or more but less than 0.55 mm
10	7210.70.90.56-1	以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.55 公厘及以上 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium alloys, in coils, of a thickness of 0.55 mm or more
11	7210.70.90.72-1	以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，非捲盤狀 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium alloys, not in coils
12	7210.70.90.57-0	以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度小於 0.55 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with

		zinc-aluminium-magnesium alloys, in coils, of a thickness less than 0.55 mm
13	7210.70.90.58-9	以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.55 公厘及以上 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium-magnesium alloys, in coils, of a thickness of 0.55 mm or more
14	7210.70.90.73-0	以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，非捲盤狀 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium-magnesium alloys, not in coils
15	7210.70.90.59-8	其他以熱浸鍍鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀 Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc alloys, in coils
16	7210.70.90.21-3	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度小於 0.25 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with aluminium-zinc alloys, in coils, of a thickness less than 0.25 mm
17	7210.70.90.22-2	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.25 公厘及以上但小於 0.55 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with aluminium-zinc alloys, in coils, of a thickness of 0.25 mm or more but less than 0.55 mm
18	7210.70.90.23-1	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.55 公厘及以上 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with

		aluminium-zinc alloys, in coils, of a thickness of 0.55 mm or more
19	7210.70.90.74-9	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，非捲盤狀 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with aluminium-zinc alloys, not in coils
20	7210.70.90.31-1	以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度小於 0.25 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on electrolytically plated or coated with zinc or zinc-alloy, in coils, of a thickness less than 0.25 mm
21	7210.70.90.32-0	以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.25 公厘及以上但小於 0.55 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on electrolytically plated or coated with zinc or zinc-alloy, in coils, of a thickness of 0.25 mm or more but less than 0.55 mm
22	7210.70.90.33-9	以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.55 公厘及以上 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on electrolytically plated or coated with zinc or zinc-alloy, in coils, of a thickness of 0.55 mm or more
23	7210.70.90.75-8	以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，非捲盤狀 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on electrolytically plated or coated with zinc or zinc-alloy, not in coils
24	7210.70.90.41-9	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度小於 0.25 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on cold-rolled, in coils, of a

		thickness less than 0.25 mm
25	7210.70.90.42-8	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.25 公厘及以上但小於 0.55 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on cold-rolled, in coils, of a thickness of 0.25 mm or more but less than 0.55 mm
26	7210.70.90.43-7	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.55 公厘及以上 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on cold-rolled, in coils, of a thickness of 0.55 mm or more
27	7210.70.90.76-7	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，非捲盤狀 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on cold-rolled, not in coils
28	7210.70.90.79-4	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，非捲盤狀 Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, not in coils
29	7210.70.90.91-8	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度小於 0.25 公厘 Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, in coils, of a thickness less than 0.25 mm
30	7210.70.90.92-7	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.25 公厘及以上但小於 0.55 公厘 Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, in coils, of a thickness of 0.25 mm or more but less than 0.55 mm
31	7210.70.90.93-6	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，捲盤狀，厚度 0.55 公厘及以上 Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, in coils, of a thickness of 0.55

		mm or more
32	7212.40.10.00-0	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 105 韋伯／平方公尺時鐵心損失在 6.5 瓦特／公斤及以上者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m<sup>2</sup>, the iron loss 6.5 W/kg or more</p>
33	7212.40.20.00-8	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失在 5 瓦特／公斤及以上但未達 6.5 瓦特／公斤者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m<sup>2</sup>, the iron loss 5 W/kg or more but less than 6.5 W/kg</p>
34	7212.40.30.00-6	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失低於 5 瓦特／公斤者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m<sup>2</sup>, the iron loss less than 5W/kg</p>
35	7212.40.90.00-3	<p>其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品</p> <p>Other flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics</p>
36	7225.99.10.00-5 EX	<p>其他合金鋼之扁軋製品，寬度 600 公厘及以上，經鍍面、塗面或護面者，高速鋼除外</p> <p>Flat-rolled products of other alloy steel, plated, coated or clad, of a width of 600 mm or more, excluding high speed steel</p>
37	7226.99.90.00-7	<p>其他合金鋼扁軋製品，寬度小於 600 公厘者</p> <p>Flat-rolled products of other alloy steel, of a width of less than 600 mm</p>